1848-1875


B-3051 - B-3060 200-240 E. Montgomery St. (North side) Baltimore, Md. Private access

The majority of the three story high, two and three bay wide brick houses along this side of Montgomery St. were built by Samuel Bratt between 1853 and 1871 for the rising number of middle class residents in the area. The group of houses extending from 206-218 E. Montgomery St. were originally all built with gable roofs but a number have had their rooflines remodeled to resemble shed roofs with simple bracketed cornices. The group of houses built by Bratt between 220 and 240 E. Montgomery St. were built after the Civil War in the currently fashionable Italianate style, with shed roofs and bracketed cornices. The large three story, three bay wide brick house with shed roof and simple modillion cornice at 200 E. Montgomery St. was built in 1848 (with a gable roof) by John Watchman, partner of Bratt in the firm of Watchman and Bratt, steam engine manufacturers, whose business was located to the rear of these properties along Hughes St. At 202-204 E. Montgomery St. is a pair of two story, two bay wide brick houses with shed roofs and bracketed cornice, built in the 1870's

Form Approved
OMB No. 42-R1765

UNITED STATES DEPARTMENT OF THE INTERIOR
Heritage Conservation and Recreation Service
Office of Archeology and Historic Preservation

Washington D.C. 20243



HISTORIC PRESERVATION CERTIFICATION APPLICATION — PART 1

(Pursuant to the Tax Reform Act of 1976)


.s: Applicant should read the instructions carefully before completing application. No Certification may be made unless a completed application form has alved (P.L. 94-455). Use typewriter or print clearly in dark ink to complete the application form. If additional space is needed to complete Part 1, use the reverse a separate plain sheet of paper clearly indicating the owner's name and mailing address. Part 1 of this application may be completed and sent to the appropriate Historic Preservation Officer at any time during the year, and may be sent separately or with Part 2.


The second second representation of the second representation of the second sec	
1. NAME OF PROPERTY:	
Address of property: Street 230 East Montgomen	STREET
	AOY 10 NO Zip Code 21230
Name of historic district in which property is located: Fader at	-i LL 70
	Me all area
2. DESCRIPTION OF PHYSICAL APPEARANCE: (see instructions for map and photograph requirements—use reverse side if necessary)	DECEIRED
See ATTACHED Sheet	JAN 17 1980
	JAN
3. STATEMENT OF SIGNIFICANCE: (use reverse side if necessary)	HARYLAND HISTORICAL
	HARTON TRUST
SEE ATTACHED Sheet	
	1070 70
Date Instruction (if known): About 1878 Toriginal site Moved	Date of alterations (if known): 1978-79
NAME AND MAILING ADDRESS OF OWNER:	
Name MARY MEC. THOMAS	
Street 109 Overhill Road	
	State Md . Zip Code 21210
Telephone Number (during day): Area Code 301 - 467 - 552	
relephone number (during day). Area Code	
	. eta
I hereby attest that the information I have provided is, to the best of my knowledge, correct, and the	at I am owner of the property described above.
	. eta
I hereby attest that the information I have provided is, to the best of my knowledge, correct, and the	at I am owner of the property described above.
I hereby attest that the information I have provided is, to the best of my knowledge, correct, and the Signature Mary Marc. Thomas	at I am owner of the property described above. Date 11555
I hereby attest that the information I have provided is, to the best of my knowledge, correct, and the signature Mary MSC. Thomas	at I am owner of the property described above. Date 11555
I hereby attest that the information I have provided is, to the best of my knowledge, correct, and the Signature MCC Thomas For office use only The structure described above is included within the boundaries of the National Register historic district. The structure appears does not appear to meet National Register Criteria for Evaluation (36 CFR 6)	Date 115 SC
I hereby attest that the information I have provided is, to the best of my knowledge, correct, and the Signature MCC. Thomas For office use only The structure described above is included within the boundaries of the National Register historic district. The structure appears does not appear to meet National Register Criteria for Evaluation (36 CFR 60).	Date 1555 Date 1555 ct and contributes does not contribute to the character of 0.6) and will likely will not be nominated to the National
I hereby attest that the information I have provided is, to the best of my knowledge, correct, and the Signature MCC Thomas For office use only The structure described above is included within the boundaries of the National Register historic district. The structure appears does not appear to meet National Register Criteria for Evaluation (36 CFR 6)	Date 15 ST: Date 15 ST: Date 15 ST: Ct and Contributes does not contribute to the character of 0.6) and will likely will not be nominated to the National a for Evaluation (36 CFR 60.6).
For office use only The structure described above is included within the boundaries of the National Register historic district. The structure operated does not appear to meet National Register Criteria for Evaluation (36 CFR 60). The structure is located in a district which appears does not appear to meet National Register Criteria for Evaluation (36 CFR 60). The structure is located in a district which appears does not appear to meet National Register Criteria for Evaluation (36 CFR 60).	Date 15550 Date 1
I hereby attest that the information I have provided is, to the best of my knowledge, correct, and the Signature MCC. Thomas For office use only The structure described above is included within the boundaries of the National Register historic district, the district. The structure papears does not appear to meet National Register Criteria for Evaluation (36 CFR 6 degister in accord with the Department of the Interior procedures (36 CFR 60). The structure is located in a district which appears does not appear to meet National Register Criteriated to the National Register in accord with Department of the Interior procedures (36 CFR 60), and decord with Department of the Interior procedures (36 CFR 60).	Date 15 ST: Date 15 ST: Date 15 ST: Ct and Contributes does not contribute to the character of 0.6) and will likely will not be nominated to the National a for Evaluation (36 CFR 60.6).
For office use only The structure described above is included within the boundaries of the National Register historic district. The structure appears does not appear to meet National Register Criteria for Evaluation (36 CFR 60). The structure is located in a district which appears does not appear to meet National Register Criteria for Evaluation (36 CFR 60). The structure is located in a district which appears does not appear to meet National Register Criteria ated to the National Register in accord with Department of the Interior procedures (36 CFR 60), and appears State Historic Preservation Officer	Date 115 SC Date 15 SC Date 16 SC Date 16 SC Date 17 SC Date 18 SC Date
For office use only The structure described above is included within the boundaries of the National Register historic district. The structure appears does not appear to meet National Register Criteria for Evaluation (36 CFR 60). The structure is located in a district which appears does not appear to meet National Register Criteria for Evaluation (36 CFR 60). The structure is located in a district which appears does not appear to meet National Register Criteria ated to the National Register in accord with Department of the Interior procedures (36 CFR 60), and appears State Historic Preservation Officer This property has been evaluated according to the criteria and procedures set forth by the Department of	Date 115 SC Date 15 SC Date 16 SC Date 16 SC Date 17 SC Date 18 SC Date
The structure of accord with the Department of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the National Register Criteria accord with Department of the Interior procedures (36 CFR 60). The structure of the National Register in accord with the Department of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60).	Date 15 SC Date 1
For office use only The structure described above is included within the boundaries of the National Register historic district. The structure papears does not appear to meet National Register Criteria for Evaluation (36 CFR 60). The structure is located in a district which appears does not appear to meet National Register Criteria for Evaluation (36 CFR 60). The structure is located in a district which appears does not appear to meet National Register Criteria ated to the National Register in accord with Department of the Interior procedures (36 CFR 60), and appearance. State Historic Preservation Officer This property has been evaluated according to the criteria and procedures set forth by the Department of the Internal Revenue Code of 1954.	Date 15 SC Date 1
The structure of accord with the Department of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the National Register Criteria accord with Department of the Interior procedures (36 CFR 60). The structure of the National Register in accord with the Department of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60). The structure is located in a district which appears of the Interior procedures (36 CFR 60).	Date 15 SC Date 1

230 Test Lontgomery 'treet is a three story brick house with interesting, decorative woodwork along the roof line. It is located on
a deadend street which ends at historic Pederal Hill. The exterior
has been pointed up and painted. The second and third floor windows
have been replaced with appropriate period windows. The front door
has also been replaced by an appropriate period door.


The interior of the house has undergone extensive renovation. The
first floor brick fireplace has been totally rebuilt. Two period
staircases have replaced the former ones, and two full bathrooms
added. All the hardware on the doors and windows are reproduction.


The house is one of many houses in this block, adjacent to Federal
Hill, that have undergone restoration, as the area is a designated
historic district. The house was built in approximately 1878 and
the restoration took place in 1975-79.











MARYLAND HISTORICAL TRUST

INVENTORY FORM FOR STATE HISTORIC SITES SURVEY

HISTORIC				
AND/OR COMMON				
LOCATION	C 2			
STREET & NUMBER	226 - 232 E. Mon	tgomery St.		
CITY, TOWN	Baltimore	VICINITY OF	CONGRESSIONAL DISTRI	СТ
STATE	Maryland		COUNTY	
CLASSIFICA	ATION		A	
CATEGORY	OWNERSHIP	STATUS	PRESI	ENTUSE
DISTRICT	PUBLIC	*OCCUPIED	AGRICULTURE	MUSEUM
*_BUILDING(S)	-XPRIVATE	_UNOCCUPIED	COMMERCIAL	PARK
STRUCTURE	вотн	_WORK IN PROGRESS	EDUCATIONAL	X PRIVATE RESIDE
SITE	PUBLIC ACQUISITION	ACCESSIBLE	ENTERTAINMENT	RELIGIOUS
OBJECT	_IN PROCESS	X.YES: RESTRICTED	GOVERNMENT	_SCIENTIFIC
	BEING CONSIDERED	YES: UNRESTRICTED	_INDUSTRIAL	_TRANSPORTATIO
OWNER OF	PROPERTY	_NO	MILITARY	OTHER:
OWNER OF	PROPERTY		Telephone #:	
T000			Telephone #:	3.4
NAME			Telephone #:	A
NAME STREET & NUMBER CITY, TOWN		VICINITY OF IPTION	Telephone #:	ip code
STREET & NUMBER CITY, TOWN LOCATION	10 (a) 10 (b) - 10 (b)	VICINITY OF IPTION	Telephone #: STATE, Z Liber #:	3.0
NAME STREET & NUMBER CITY, TOWN	OF LEGAL DESCR	VICINITY OF IPTION	Telephone #:	ip code
NAME STREET & NUMBER CITY, TOWN LOCATION COURTHOUSE, REGISTRY OF DEEDS, E	OF LEGAL DESCR	VICINITY OF IPTION	Telephone #: STATE, Z Liber #:	ip code
NAME STREET & NUMBER CITY, TOWN LOCATION COURTHOUSE.	OF LEGAL DESCR	VICINITY OF IPTION Room 601	Telephone #: STATE, Z Liber #:	ip code
NAME STREET & NUMBER CITY, TOWN LOCATION COURTHOUSE, REGISTRY OF DEEDS, E	OF LEGAL DESCR	VICINITY OF IPTION Room 601	Telephone #: STATE, Z Liber #:	ip code
NAME STREET & NUMBER CITY, TOWN LOCATION COURTHOUSE, REGISTRY OF DEEDS, E STREET & NUMBER	OF LEGAL DESCR	VICINITY OF IPTION Room 601 ourthouse	Telephone #: STATE, Z Liber #: Folio #:	ip code
STREET & NUMBER CITY, TOWN LOCATION COURTHOUSE, REGISTRY OF DEEDS, E STREET & NUMBER CITY, TOWN	OF LEGAL DESCR TC. Records Office Baltimore City Co	VICINITY OF IPTION Room 601 Durthouse	Telephone #: STATE, Z Liber #: Folio #:	ip code
STREET & NUMBER CITY, TOWN LOCATION COURTHOUSE, REGISTRY OF DEEDS, E STREET & NUMBER CITY, TOWN	OF LEGAL DESCR	VICINITY OF IPTION Room 601 Durthouse	Telephone #: STATE, Z Liber #: Folio #:	ip code
STREET & NUMBER CITY, TOWN LOCATION COURTHOUSE, REGISTRY OF DEEDS, E' STREET & NUMBER CITY, TOWN REPRESEN'	OF LEGAL DESCR TC. Records Office Baltimore City Co	VICINITY OF IPTION Room 601 Durthouse	Telephone #: STATE, Z Liber #: Folio #: STATE STATE STATE STATE STATE	ip code
STREET & NUMBER CITY, TOWN LOCATION COURTHOUSE, REGISTRY OF DEEDS, E' STREET & NUMBER CITY, TOWN REPRESEN' TITLE	OF LEGAL DESCR TC. Records Office Baltimore City Co	VICINITY OF IPTION Room 601 Durthouse	Telephone #: STATE, Z Liber #: Folio #:	ip code

__EXCELLENT

X_GOOD

_FAIR

CONDITION

__DETERIORATED

__RUINS

CHECK ONE

X-UNALTERED

CHECK ONE

CORIGINAL SITE

MOVED DATE

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

This group of three story brick houses with shed roofs and modillion cornice was built as a unit as part of the post-Civil War development of the upper end of this side of Montgomery St.

The houses are three stories in height, 15' wide, and occupy lots 75' deep. Because the lots slope sharply to the north, the houses are four stories in height at the rear. Each originally has a three story, one bay deep and wide stair hall section joining the main structure with a three story, two bay deep brick rear addition (corresponding to the basement, first and second floor levels of the main house). This arrangement survives only at 228 E. Montgomery St. (the one house of the group that has not been restored). The others have modern additions. That of 226 E. Montgomery is in the process of being constructed. It will be three stories in height and two bays deep. 230 has a full width, two story high, two bay deep flat roof addition joining the stair hall extension of the main house; 232 has a two story high, two bay deep flat roof addition with sun deck. The houses are constructed in running bond. 226 E. Montgomery has a single rectangular chimney located along its west end wall and 232 has a double rectangular chimney located along its west end wall. 228 has a single hooded chimney located along its east end wall and a wide rear end chimney located at the north end of the kitchen addition.

The houses have a shed roof with a continuous cornice consisting of a deeply projecting crown molding supported by a row of carved modillions bordered by a row of cut-work scallops. There is a plain wooden freize area decorated with a single molding strip. The cornice is supported by carved end brackets, placed at either end of the group.

Each of the houses has a slightly different door and window lintel design. due to later owner's changes, but the original idea seems to have been that the outer two units in the group (226 and 232) had segmentally arched lintels on the second and third floor windows and the inner members of the group (228 and 230) had flat lintels. All of the houses had round arched lintels on the first floor openings. Today this arrangment survives at 226 and 230 E. Montgomery which both have round arched lintels on the first floor openings. The second and third floor. window openings of 226 have segmentally arched brick lintels, the upper panes of glass cut to fit the curve of the arch; the second and third floor openings of 230 have splayed brick lintels. All of the window openings of 226 and 230 were filled with 1/1 sash, until 230 recently had its sash replaced by new 6/6 sash. 228 E. Montgomery has a round arched door lintel but has flat wood lintels and sills on all of its window openings. The windows are filled with 1/1 sash. 232 E. Montgomery now has segmentally arched brick door and first floor window lintels with scroll-sawed tympanum, in addition to the segmentally arched lintels of the second and third floors. The wide first floor window is filled with a 20-light panel; the second and third floor windows are double hung with new 6/6 sash. All of the first floor sills are stone, except for 228, which is wood. The upper windows of 226 have stone sills; those of 228 and 230 have wood sills; and those of 232 have brick header sills.

CONDITION

CHECK ONE

CHECK ONE

__EXCELLENT

__DETERIORATED

_UNALTERED

_ORIGINAL SITE

_GOOD

__RUINS

_ALTERED

_MOVED DATE____

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

226 - 230 E. Montgomery St., cont.

The original doorway arrangement had a round arched single light transom, bordered by a row of carved dentils. This survives at 226 and 230. At 228 the single light transom has been replaced by a fanlight and at 230 the single light transom is cut to fit the segmental arch above. 226 and 228 both have glass and panel doors, with 15 light set within a plain wood frame. 230 has a late Victorian glass and panel door, with a single long vertical panel set within a plain wood frame. 232 has a modern six panel door. The houses sit on low basements, the entrances being reached by two wide stone steps at 230 and 232, two brick steps at 228, and three stone steps at 226. Each house has a small coal opening located directly to the left of the steps, and stairs set perpendicular to the street leading down to a basement door set several feet below the sidewalk, under the first floor window.

8 SIGNIFICANCE

	ES 1870		AITECT Samuel Bratt	
_1900-	COMMUNICATIONS	INDUSTRY	POLITICS/GOVERNMENT	_OTHER (SPECIFY)
<u>X</u> 1800-1899	COMMERCE	_EXPLORATION/SETTLEMENT	PHILOSOPHY	_TRANSPORTATION
_1700-1799	ART	ENGINEERING	MUSIC	THEATER
_1600-1699	X_ARCHITECTURE	EDUCATION	MILITARY	_SOCIAL/HUMANITARIAI
_1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE
_1400-1499	_ARCHEOLOGY-HISTORIC	CONSERVATION	_LAW	SCIENCE
PREHISTORIC	_ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	_LANDSCAPE ARCHITECTURE	RELIGION
PERIOD	AF	REAS OF SIGNIFICANCE CH	IECK AND JUSTIFY BELOW	

STATEMENT OF SIGNIFICANCE

This row of houses is significant as being one of a fairly small group of large, Victorian-style houses built in the Federal Hill area. The houses were built by Samuel Bratt, formerly of the firm of Watchman and Bratt, who operated a steam engine manufactory at the corner of William and Hughes Sts. In the period 1852-1860 Bratt built a row of three-story gable roofed houses between 206 and 218 Montgomery St., but when he resumed building after the Civil War he adopted the currently more fashionable shed roofed, Victorian style. As with the earlier houses, these were built to accomodate the rising number of middle-class residents in the area who had prospered at local trades and businesses to the point where they could afford a large house with definite stylistic pretensions. Apart from the shed roof and bracketed cornice, lowever, these houses are essentially the same in plan as their gable-roofed predecessors.

For further details, see under 206-208 E. Montgomery St.

The first owners of these houses, were respectively, John Valentine, at 226 Montgomery St., who owned a restaurant on German St.; William J. Davis, at 228, who was a ship's carpenter; Martin Bians, at 230, who operated a hattery on Hanover St.; and Thomas Pearson, at 232, who was a member of the firm of Jones & Pearson, oyster packers.

¹Baltimore City Directory, 1872

9 MAJOR BIBLIOGRAPHICAL REFERENCES

GEOGRAPHICA	L DATA		
ACREAGE OF NOMINATED PRO	OPERTY		
		to use a trade of	(5 V t)2
VERBAL BOUNDARY DES	SCRIPTION		titti an
			Continue Calif
STATE		COUNTY	
STATE		COUNTY	
	ED BY		
FORM PREPARE		COUNTY	
FORM PREPARE NAME/TITLE M.E. Hayward / E		COUNTY	
FORM PREPARE NAME / TITLE M.E. Hayward / E ORGANIZATION	Historic Sites	COUNTY	DATE
FORM PREPARE NAME / TITLE M.E. Hayward / E ORGANIZATION Maryland Histori	Historic Sites	COUNTY	DATE 4/79
FORM PREPARE NAME / TITLE M.E. Hayward / E ORGANIZATION Maryland Histori STREET & NUMBER	Historic Sites	COUNTY	DATE
FORM PREPARE NAME / TITLE M.E. Hayward / E ORGANIZATION Maryland Histori	Historic Sites	COUNTY	DATE 4/79

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature, to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 Supplement.

TO BOOK BUILDING BOOK

The Survey and Inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

RETURN TO: Maryland Historical Trust


The Shaw House, 21 State Circle


Annapolis, Maryland 21401

(301) 267-1438

B-3059 226-232 E. Montgomery Street Block 0900 Lots 032-035 Baltimore City Baltimore East Quad.







B-3059 226-232 E. Montgomery St.
M.E.H. 4/79
South elevation